



06373-ZY3-800

Digital Speedometer+ Fuel Management—BF135/150, BF115, BF200/225—2005 year model & subsequent

Gauge provides the following information:

- Speed
- Fuel tank level indicator
- Battery voltage
- Trip meter (miles)—resettable

Fuel management:

- Fuel flow—gph (includes totalizer)
- Fuel economy—mpg

Water in fuel alarm (from separator in engine) except BF115

**Does not come with speedometer tubing.
See page 25 for pressure tubing.**



06375-ZY3-800

Digital Tachometer—BF135/150, BF115, BF200/225—2005 year model & subsequent

Gauge provides the following information:

- Tachometer
- Trim meter
- Hour meter (shows total hours)
- Odometer (hours)—resettable

Indicator light display includes:

- Oil pressure alert
- Overheat alert
- ACG warning
- PGM-FI (check engine) warning



32540-ZY3-800AH (USA)

Digital Gauge Harness

Connects to new 7 wire key switch panel harness. Supports both digital tach and speedo as well as analog gauges.

Both analog and digital gauges can be used separately or in combination with each other. This harness will allow digital gauges to show analog functions on non-digital engines, (same as standard 5 gauge set as well as PGM-FI indicator lights). Standard analog gauge harness plugs into separate 4 wire pigtail provided.

32540-ZY3-800AH or 32540-ZY3-800AHR



37353-ZY3-000AH

0 to 30 PSI Water Pressure Gauge

Matches the face plate of the Honda digital speedometer and digital tachometer. Includes pressure tubing and engine fitting.


Notes:

- 1) Dual engine application would typically use two each tachometers and one speedometer gauge. The fuel management portion of the speedometer supports two source signals, one for each engine. 2 gauge harnesses required for dual engine application.
- 2) Separate digital gauge harness supports one tachometer and one speedometer.
- 3) Fuel management information is sent directly from the engine ECU. No paddlewheel/fuel line sensor is utilized or required.

GAUGE SETS

By Teleflex

HONDA MARINE



06303-ZW5-000ZB

5 Gauge Set—White Face/Domed Lens

Includes: 10-65 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Teleflex instrument harness for installation, Part No. 32200-ZW7-000AH.

Features:

- Fog free lens coating
- Back lit dial face
- Digital hour meter
- Engine on Demand Technology only logs hours on hour meter when engine is running



32200-ZW7-000AH

Instrument Harness (Fused) 7.5 Amp

Connects Teleflex 5 gauge set plus optional water pressure gauge to main harness. 54 inches long.

Individual Gauges

37213-ZW5-000ZB *(not shown)*

Speedometer—5-35 MPH White Face/Domed Lens

Intended for pontoon applications.

Includes: Pressure tubing.

37203-ZW5-000ZB

Speedometer—10-65 MPH White Face/Domed Lens

Includes: Pressure tubing.

37203-ZW5-080ZB

Speedometer—0-80 MPH White Face/Domed Lens

Includes: Pressure tubing.

37253-ZW5-000ZB

7K Tach/Hour Meter White Face/Domed Lens

Includes: Digital hour meter.

37263-ZW5-000ZB

Trim Meter White Face/Domed Lens

37303-ZW5-000ZB

Fuel Gauge White Face/Domed Lens

37453-ZW5-000ZB

Volt Meter White Face/Domed Lens

37353-ZW5-000ZB *(not shown)*

Water Pressure Gauge— 0-30 PSI

White Face/Domed Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.



06303-ZW5-000ZA

5 Gauge Set—Black Face/Domed Lens

Includes: 10-65 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Teleflex instrument harness for installation, Part No. 32200-ZW7-000AH.

Features:

- Fog free lens coating
- Back lit dial face
- Digital hour meter
- Engine on Demand Technology only logs hours on hour meter when engine is running



32200-ZW7-000AH

Instrument Harness (Fused) 7.5 Amp

Connects Teleflex 5 gauge set plus optional water pressure gauge to main harness. 54 inches long.

S

Individual Gauges

37213-ZW5-000ZA *(not shown)*

Speedometer—5-35 MPH Black Face/Domed Lens

Intended for pontoon applications.

Includes: Pressure tubing.

37203-ZW5-000ZA

Speedometer—10-65 MPH Black Face/Domed Lens

Includes: Pressure tubing.

37203-ZW5-080ZA

Speedometer—0-80 MPH Black Face/Domed Lens

Includes: Pressure tubing.

37253-ZW5-000ZA

7K Tach/Hour Meter Black Face/Domed Lens

Includes: Digital hour meter.

37263-ZW5-000ZA

Trim Meter Black Face/Domed Lens

37303-ZW5-000ZA

Fuel Gauge Black Face/Domed Lens

37453-ZW5-000ZA

Volt Meter Black Face/Domed Lens

37353-ZW5-000ZA *(not shown)*

Water Pressure Gauge— 0-30 PSI

Black Face/Domed Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.

GAUGE SETS

By Beede

HONDA MARINE



07301-ZW5-000ZB (2000 SERIES)

5 Gauge Set—White Face/Domed Lens

Includes: 10-60 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Beede instrument harness for installation, Part No. 32102-ZW7-010AH.

Features:

- Fog free lens coating
- Side lit dial face
- Analog hour meter
- Engine on Demand Technology only logs hours on hour meter when engine is running



32102-ZW7-010AH

Instrument Harness (Fused) 7.5 Amp

Connects Beede 5 gauge set plus optional water pressure gauge to main harness. 54 inches long.

Individual Gauges

38201-ZW5-045ZB

Speedometer—0-45 MPH White Face/Domed Lens

Includes: Pressure tubing.

38201-ZW5-000ZB

Speedometer—10-60 MPH White Face/Domed Lens

Includes: Pressure tubing.

38201-ZW5-080ZB

Speedometer—10-80 MPH White Face/Domed Lens

Includes: Pressure tubing.

38251-ZW5-000ZB

7K Tach/Hour Meter White Face/Domed Lens

Includes: Analog hour meter.

38261-ZW5-000ZB

Trim Meter White Face/Domed Lens

38301-ZW5-000ZB

Fuel Gauge White Face/Domed Lens

38451-ZW5-000ZB

Volt Meter White Face/Domed Lens

38351-ZW5-000ZB (not shown)

Water Pressure Gauge— 0-30 PSI White Face/Domed Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.

40701-ZW5-000ZB (not shown)

Analog Hour Meter White Face/Domed Lens

Matches 5 gauge set dial face.



07301-ZW5-000ZA (2000 SERIES)

5 Gauge Set—Black Face/Domed Lens

Includes: 10-60 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Beede instrument harness for installation, Part No. 32102-ZW7-010AH.

Features:

- Fog free lens coating
- Side lit dial face
- Analog hour meter
- Engine on Demand Technology only logs hours on hour meter when engine is running



32102-ZW7-010AH

Instrument Harness (Fused) 7.5 Amp

Connects Beede 5 gauge set (Series 2000) plus optional water pressure gauge to main harness. 54 inches long.

Individual Gauges

38201-ZW5-045ZA

Speedometer—0-45 MPH Black Face/Domed Lens

Includes: Pressure tubing.

38201-ZW5-000ZA

Speedometer—10-60 MPH Black Face/Domed Lens

Includes: Pressure tubing.

38201-ZW5-080ZA

Speedometer—10-80 MPH Black Face/Domed Lens

Includes: Pressure tubing.

38251-ZW5-000ZA

7K Tach/Hour Meter Black Face/Domed Lens

Includes: Analog hour meter.

38261-ZW5-000ZA

Trim Meter Black Face/Domed Lens

38301-ZW5-000ZA

Fuel Gauge Black Face/Domed Lens

38451-ZW5-000ZA

Volt Meter Black Face/Domed Lens

38351-ZW5-000ZA (not shown)

Water Pressure Gauge— 0-30 PSI Black Face/Domed Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.

40701-ZW5-000ZA (not shown)


Analog Hour Meter Black Face/Domed Lens

Matches 5 gauge set dial face.

GAUGE SETS

By Faria

HONDA MARINE



06300-ZW5-010ZB

5 Gauge Set—White Face/Flat Lens

Includes: 10-60 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Faria instrument harness for installation, Part No. 32103-ZW7-000AH.

Features:

- Side lit dial face
- Digital hour meter



32103-ZW7-000AH

Instrument Harness (Fused) 7.5 Amp

Connects Faria 5 gauge set plus optional water pressure gauge to main harness. 54 inches long.

Individual Gauges

37200-ZW5-000ZB

Speedometer—10-60 MPH White Face/Flat Lens

Includes: Pressure tubing.

39700-ZW5-000ZB (not shown)

Analog Hour Meter White Face/Flat Lens

Includes: Removable black square bezel.

37250-ZW5-010ZB

7K Tach/Hour Meter White Face/Flat Lens

Includes: Digital hour meter.

37260-ZW5-000ZB

Trim Meter White Face/Flat Lens

37450-ZW5-000ZB

Volt Meter White Face/Flat Lens

37350-ZW5-000ZB (not shown)


Water Pressure Gauge— 0-30 PSI White Face/Flat Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.

37300-ZW5-000ZB

Fuel Gauge White Face/Flat Lens



06300-ZW5-010ZA

5 Gauge Set—Black Face/Flat Lens

Includes: 10-60 mph speedometer, 7K tach/hour meter, trim meter, volt meter, fuel gauge.

Requires Faria instrument harness for installation, Part No. 32103-ZW7-000AH.

Features:

- Side lit dial face
- Digital hour meter



32103-ZW7-000AH

Instrument Harness (Fused) 7.5 Amp

Connects Faria 5 gauge set plus optional water pressure gauge to main harness. 54 inches long.

Individual Gauges

06372-ZV5-950AH *(not shown)*

Speedometer—5-35 MPH Black Face/Flat Lens

Intended for pontoon applications.

37260-ZW5-000ZA

Trim Meter Black Face/Flat Lens

37450-ZW5-000ZA

Volt Meter Black Face/Flat Lens

39700-ZW5-000ZA *(not shown)*

Analog Hour Meter Black Face/Flat Lens

Includes: Removable black square bezel.

37200-ZW5-000ZA

Speedometer—10-60 MPH Black Face/Flat Lens

Includes: Pressure tubing.

37300-ZW5-000ZA

Fuel Gauge Black Face/Flat Lens

37250-ZV5-950AH *(not shown)*

Faria 7K Tachometer Black Face/Flat Lens

Note: Same as 37250-ZW5-010ZA only with no hour meter.

37250-ZW5-010ZA

7K Tach/Hour Meter Black Face/Flat Lens

Includes: Digital hour meter.

37350-ZW5-000ZA *(not shown)*

Water Pressure Gauge— 0-30 PSI Black Face/Flat Lens

Matches 5 gauge set dial face.

Includes: Pressure tubing and fitting.

INDIVIDUAL GAUGES

Miscellaneous

HONDA MARINE



39700-ZV5-800AH

Digital L.C.D. Hour Meter

Resettable.

Note: Does not work with BF25-50A4 tiller handle models.



37450-ZV5-911

Volt Meter




08174-881-000AH

Inductive Tachometer/ Hour Meter

Intended for O/E motors (BF2-20).

Does not work on BF115-225.



31420-ZW7-000AH

Instrument Housing/Panel— BF25-BF50

Allows mounting the standard Honda original equipment tachometer, key switch, trim meter and instrument light switch.

Note: Requires standard wire harness A for connection.

Intended for LH7A models.



06380-ZV5-000AH

Tachometer Bezel Kit

May be needed to install the smaller diameter original equipment tachometer in the standard 3 3/8 inch hole. Kit contains two black anodized aluminum bezel rings, needed for front and rear of mounting panel.



37250-ZV5-950AH

Faria Universal Tachometer BF8D-BF225

Black face, flat lens tach. Tachometer only—no hour meter.



32540-ZV5-910

Original Equipment— Pre 2003, Harness “A” (Fused)—4 Wire Connection

Connects original equipment tachometer, trim meter, and harness “B” to main harness or side mount control box. 54 inches long.



32550-ZV5-910

Original Equipment Harness “B”

Provides additional connection to harness “A” for speedometer, hour meter and volt meter.



06300-ZW5-000KT

Tach/Trim Meter Kit

Kit includes Faria tach/hour meter, trim meter and Faria connecting instrument harness. Only available in black face, flat lens.

32540-ZV5-911

Original Equipment— 2003 and Subsequent, Harness “A” (Fused)— 5 Wire Connection

Connects original equipment tachometer, trim meter, and harness “B” to main harness or side mount control box. 54 inches long.



19271-ZV5-000AH

1/8 Inch Hose Barb—BSPT BF135/150 and BF200/225

This brass fitting screws into the port (remove plug first) on the powerhead for water pressure source. **This is a British Pipe Thread** which conforms to the factory thread on the designated engines. Always use 2 wire ties to secure tubing to this fitting.



19271-ZY3-000AH

BF135/150 and BF200/225 Pipe Thread Adapter

1/8 inch National Pipe Thread to British Standard Pipe Thread to install 1/8 inch hose barb included with water pressure gauge.

INDIVIDUAL GAUGES

Miscellaneous

HONDA
MARINE



37202-ZW5-025AH

Speedometer Tubing (rubber hose)

Connects any speedometer to the pitot tube on the engine gearcase, transom mounted pitot tube or pitot tube connection at the front grommet on BF 75/90, BF135/150 and 2000 year model and subsequent BF200/225. Heavy wall construction. 25 feet long.

37202-ZW5-100AH

Speedometer Tubing (rubber hose)

100 feet long.