



10W-30 FC-W

Honda Marine Engine Oil

Honda Marine 10W-30 FC-W oil is now available in gallon bottles, in addition to the quarts and 55 gallon drums announced previously. This larger size bottle is especially convenient for oil changes on larger displacement engines.

Honda Marine 10W-30 FC-W oil is approved by the national Marine Manufacturing Association (NMMA) to meet the rigorous FC-W standard. It has also been tested by Honda Research and Development and certified for use in all Honda marine engines, complying with all of Honda's service and warranty requirements.

Honda FC-W 10W-30 Marine engine oil's advantages over automotive oils include:

- Increased rust and oxidation inhibitors to fight corrosion in the marine environment
- Shear stable polymers to resist viscosity breakdown under high rpm and high load conditions
- Better anti-foaming characteristics to better protect the engine at high rpm
- Excellent performance in High Temperature High Shear Viscosity test to ensure viscosity retention despite the fuel dilution associated with marine engines
- Additional anti-wear additives for better bearing protection

1 gallon bottle. 6 gallons per case.

10W-30 FC-W 08209-10W30MFC-W

1 gallon. 6 gallons per case.

10W-30 FC-W 08207-10W30MFC-W

Honda Marine Engine Oil

1 quart bottle. 12 quarts per case.

10W-30 FC-W 08208-10W30MFC-W

New Honda Marine Engine Oil

55 gallon drum.

OILS, CHEMICALS, PAINT

HONDA MARINE



5W-30 WT. 08207-5W30M

Outboard Engine Oil

Provides superior engine protection for 4-stroke engines. Specially formulated and blended for Honda Marine engines. Meets or exceeds latest American Petroleum Institute standards. Sold in a case of 12 quarts only.



08739-90W

Outboard Motor Lower Unit Gear Case Oil

Semi-synthetic formulation adheres to gear and bearing surfaces and maintains protective qualities throughout the widest range of operating temperatures and loads. Improves the life expectancy of gear cases. Available in 1 quart bottles. Sold in a case of 12 quarts only.



07999-ZW7-000AH

Motor Oil Extractor

Vacuum extractor easily removes crankcase oil from engine with no spilling or mess. Float mechanism prevents over filling. Holds 6 liters.



07999-ZW7-014AH

14 Liter Motor Oil Extractor

Vacuum extractor easily removes crankcase oil from engine with no spilling or mess. Float mechanism prevents over filling. Includes 3 different diameter suction hoses. Combination of 2 hoses joined is 9'4". Holds 14 liters/14.8 quarts/3.7 gallons.



07998-ZW7-009AH

Optional Dipstick Suction Hose

Continuous 9 foot long dipstick suction hose fits all Honda engine models. Eliminates the joint for connecting two shorter lengths. Can be used with either the 6 liter or 14 liter extractor.



08739-M0500

**Outboard Motor Lower
Unit Gear Oil**

5 gallon pail.

OIL FILTERS

Part Number	Previous Part Number	Application
15400-PFB-014	15400-PFB-004 15400-PM3-004 15400-PM3-405 15400-PJ7-015 15400-PJ7-005	BF8/BFP8 D1, D2, D3, D4 BF9.9/BFP9.9 D1, D2, D3, D4 BF15/BFP15 D3, D4 BF20 D3, D4 BF25A, BF30A, BF35AM, BF40A, BF45AM, BF50A
15400-PFB-007	15400-ZW4-003	BF25 AX, AW, AY, A1, A2, A3, A4 BF30 AX, AW, AY, A1, A2, A3, A4 BF40 AX, AW, AY, A1, A2, A3, A4 BF50 AX, AW, AY, A1, A2, A3, A4
15400-PLM-A01PE	This oil filter replaces 15400-P0H-305PE, 15400-P0H-305, 15400-ZJI-004, 15400-ZJI-999AH	BF75/90 AT, AW, AX, AY, A1, A2, A3, A4, A5, A6, DK0 BF115/130 AX, AY, A1, A2, A3, A4, A5, A6 BF135/150 A4, A5, A6 BF200/225 A2, A3, A4, A5, A6

OILS, CHEMICALS, PAINT

HONDA MARINE



08732-0001

Fuel Stabilizer

Available in 8 fl. oz. bottles.
Multiple of 12.



08732-0033

Fuel Stabilizer

Genuine Sta-Bil® formula prevents gasoline-related problems during periods of extended storage. Prevents rust, freezing or gelling of fuel. Keeps jets and float bowls free of gummy residues. Equipment stays "ready-to-use." 32 oz. measure pour bottle.



08207-TNT32

Power Trim and Tilt Fluid

Specially formulated for Honda Marine power trim and tilt systems. High shear stability resists viscosity breakdown. Special additives protect against wear, scuffing and corrosion. Available in 1 quart bottles. Sold in a case of 12 quarts only.



08734-0003

Honda Marine Grease

Honda Marine Multi-Purpose Grease is an extreme pressure grease for high load use with excellent water resistance properties. Excellent resistance to water washout, rust and corrosion under severe duty conditions. maintains superb consistency and adhesion under wide temperature ranges and extreme salt-water exposure. Available in 14 oz. cartridge. Multiple of 10.



Salt Terminator

For all marine applications, salt terminator is designed to dissolve and remove salt build-up commonly associated with marine environments while providing a protective sheen, guarding against future salt corrosion. Use salt terminator to flush marine engines, outboard engines, jet boats and personal watercraft. Spray salt terminator on all surfaces exposed to salt water or salt air to clean and protect from salt corrosion. When used with the salt terminator miser, it automatically dilutes the concentrate and siphons it through a standard garden hose for engine flushing or exterior cleaning.

Part Number

08C10-SX10	12 oz. bottle	12
08C10-SX32	quart concentrate	7
08C10-SX32M	quart concentrate with mixer	6
08C10-SX128	gallon concentrate	6

HONDA
MARINE

OILS,
CHEMICALS, PAINT

OILS, CHEMICALS, PAINT

HONDA MARINE

Assembly and Repair Chemicals



08713-0001

Hondalock 1

Low strength threadlock for frequently removed/low torque fasteners. Carded 10cc bottle. Multiple of 6.



08713-0002

Hondalock 2

Medium strength threadlock for medium-torque fasteners. Carded 10cc bottle. Multiple of 6.



08713-0004

Hondalock 2HT

High temperature threadlock for medium-torque fasteners in high-heat applications, such as exhaust studs. Carded 10cc bottle. Multiple of 6.



08713-0003

Hondalock 3

High-strength threadlock for high-torque fasteners or semi-permanent applications. Carded 10cc bottle. Multiple of 6.



08798-0001

Dielectric Grease

Non-conductive waterproofing compound. Insulates electrical connections. Adheres to most surfaces. Seals out moisture, dirt and corrosion. Carded .5 oz. tube. Multiple of 6.



08734-0001

Moly 60 Paste

60% Moly grease formula. Contents are solid and will not separate at room temperature. Recommended for bearings, spark plug threads, gears and other high-pressure/high-temperature applications. Use where Moly 45 is suggested. Carded .3 oz. tube. Multiple of 1.

Adhesives and Liquid Gaskets



08717-0004

Hondabond 4

Semi-drying liquid gasket. Seals with a tough, elastic film, yet removes easily. Solvent-based formula resists gasoline. Carded 3.5 oz. tube. Multiple of 6.



08718-0001

Hondabond HT

High-temperature silicone liquid gasket. Non-acidic, will not corrode aluminum. For use in areas not requiring solid gaskets. Carded 3.5 oz. tube. Multiple of 1.



08712-0002

Weatherstrip Cement

A permanent waterproof adhesive that adheres to rubber, plastic, metal. Also works for vinyl repair. Carded 5 oz. tube. Multiple of 6.

Cleaners and Polishers



08732-0020B

Hondabrite

Genuine S-100® in a mid-size package. Easy-to-use cleaner; simply spray on and hose off. Sprayer comes on 20 fl. oz. bottle. Multiple of 12.



08734-0007

Sealant 1530C

A permanent waterproof adhesive that is environmentally friendly. Used for attaching and sealing rubber.

08732-0032

Refill available in 32 fl. oz. bottle. Multiple of 12.

OILS, CHEMICALS, PAINT

HONDA MARINE

Touch-Up Paints *Original factory colors in aerosol spray cans. Sold in Multiples of 2.*



08707-NH282MA

Oyster Silver Metallic Paint (NH282M) BF2 through BF225. Requires Clearcoat to seal, protect and complete the paint process. Paint cures with Clearcoat application.

08707-PB109

Neptune Blue (PB109) (A-F Models) BF20, BF50, BF75, BF100

08707-NH190M

Vintage Grey Metallic (NH190M) BF2, BF5, BF8, BF9.9, BF15 (AH/AK models)

08707-NH283MA

Stin Gray (NH283) propeller paint. This is a single step paint process.

08707-PRIMA

Primer. Should be used as required before paint is applied.

08707-UCA150

Clearcoat. Used with Oyster Silver paint to complete the paint process and provide a durable finish.



08707-NH282MXP

Oyster Silver Metallic (NH282M) BF2 through BF225 touch-up pen

How to Get Paint in Quarts *(Bulk paint may be obtained directly from our vendor.)*

PRIMER

Description

Pint (Color-Rite # CR3031-P)
Quarts (Color-Rite CR3031-Q)

NOTE: This is a two part catalyzed primer. Both parts are supplied as one item.

OYSTER SILVER PAINT

Description

1/2 pint
Pint
Quarts

NOTE: As with the aerosol, this color should be clear coated.

CLEARCOAT

Description

Pint Kit of Clearcoat with catalyst (Color-Rite # PCR-410)
Quarts (Color-Rite # QCR-410)

PAINT REDUCER

Description

Pint (Color-Rite # MUR-1)
Quarts (Color-Rite # QUR-1)

NOTE: Dealers and their repair shops should be urged to use all Color-Rite paint products in combination with each other. Substitutes may not be compatible.

For technical questions, Dealers can call our 800-736-7980 technical phone line. Orders can be faxed to 661-266-0286 or order on line at www.colorrite.com. There is no minimum order. Orders received before 2:00 pm are often shipped the same day or 24 hour turn-around. Payment terms are either COD or credit card.

Color-Rite Distributing Co.
1817 E. Ave. Q. Suite C-24
Palmdale, CA 93550