



08M61-ZV4-B00

Motor Mount Steering Kit– BF9.9/15A

Includes: Stainless steel clamp-on steering tube, stainless link arm and steering plate, all hardware.

Allows standard remote cable steering.



08M61-ZW3-000AH

Dual Cable Steering Kit– BF75-BF225

Includes: All items shown above.



50899-ZV5-000AH (FRESH WATER)

Steering Tube Seal BF8D-BF50

Black anodized aluminum.

Includes: Grease fitting and sealing o-ring, protects and lubricates steering cable.



50899-ZV5-020AH (SALT WATER)

Steering Tube Seal BF8D-BF50

Stainless steel construction.

Includes: Grease fitting and sealing o-ring, protects and lubricates steering cable.

STEERING HARDWARE

HONDA MARINE



53234-ZW9-830

Extension Plate—Steering Fits BF8D/9.9D, BF15D/20D

Standard equipment on remote control models. Forward hole used for connection of engine tie bar for twin applications.



53234-ZV7-781

Extension Plate—Steering Fits BF25/30


Standard equipment on remote control models. Forward hole used for connection of engine tie bar for twin applications.



17852-ZV5-821

Extension Plate—Steering Fits BF35/50

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting hardware also.



53234-ZW1-010

Extension Plate—Steering Fits BF75/90

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting bolts.



53234-ZW5-010

Extension Plate—Steering Fits BF115/130

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting hardware also.



Extension Plate Mounting Hardware

2 each required for each engine.
Price is for one piece.

Stud 90109-ZV5-000

Nut 90306-ZV5-003

Washer 90514-ZV4-000

90154-ZW9-000

Extension Plate Mounting Bolt

Two required for each engine. (10x25)



50850-ZV5-000AH
Dual Engine Tie Bar
BF25-BF150

Right/left hand threaded ends enables easy adjustment without disconnecting. Stainless steel construction.

Minimum length = 18.5 in.
Maximum length = 29.5 in.

Note: See the Honda Rigging Guide for more information and selections of tie bars for hydraulic steering.



53238-ZW1-010AH
Morse Hynautic
Steering Link Arm

For use with Morse front mount Honda K-6H hydraulic steering cylinder.



06532-ZY3-U00
Link Arm Kit
BF135/150, BF200/225



06502-ZW9-000
Friction Kit BF8D-BF20D

Allows friction and lock adjustment for remote and tiller models.